FURNITURE SCHEDULE

FURNITURE NUMBER	NAME/	QUANTITY	SIZE (WxDxH)	INSTALLATION NEW	EXISTING	DFOI	DFCI	CFCI	REMARKS
F1	CHAIR - ROLLING/ ARM	X	-						
F2	CHAIR - STACKING	X	-						
F3	TABLE- STAFF BREAK	X	-						
F4	L-SHAPED OFFICE DESK	X	72"x66"x30" (1.83m x1.68m x0.76m)						
F7	WORKSTATION	X	42"x30"x30" (1.07m x0.76m x0.76m)						

EQUIPMENT SCHEDULE

NUMBER	NAME	MANUFACTURER BASIS OF DESIGN	QUANTITY	SIZE (WxDxH)	ELECTRICAL 120 VOLTS	208 VOLTS	480 VOLTS	AMPS	PHASE	MOCP	ALARM SYSTEM	DEDICATED CIRCUIT	UPS	EMERGENCY CIRCUIT	SPECIAL PLUG	MECHANICAL/PLUMBING DUCTWORK	DRAIN	PURIFIED WATER	WATER	VACUUM	NATURAL GAS	COMPRESSED AIR	CO2	LIQUID NITROGEN	INSTALLATION NEW	EXISTING	DFOI	DFCI	CFCI	REMARKS
E1	COLOR COPIER		X	42"x24"x30" (1.07m x0.61m x0.76m)	X				1																	X				
E2	PRINTER		X	18"x24"x12" (0.46m x0.61m x0.30m)	X				1																	X				
E3	SHREDDER BIN		X	24"x24"x30" (0.61m x0.61m x0.76m)																						X				
E4	REFRIGERATOR / FREEZER		X	34"x32"x66" (0.86m x0.81m x1.68m)	X				1						X					X									X	ICE MAKER
E6	SMART BOARD		X	65"x49"x5" (1.65m x1.25m x0.13m)	X				1																X		X			
E7	SPACE SAVER STOR. SYS.		X	104"x144"x84" (2.64m x3.66m x2.13m)	X				1																X				X	
E14	ICE MACHINE & STOR. BIN	MANITOWOC DN450/B420	X	22"x34"x77" (0.56m x0.86m x1.96m)	X			13	1	20							X		X						X				X	
E17	WASTE BIN		X	14"x20"x30" (0.36m x0.51m x0.76m)																									X	
E20	CART OR TABLE		X	36"x24"x30" (0.91m x0.61m x0.76m)																							X			
E22	SMART BOARD		X	85"x49"x5" (2.16m x1.25m x0.13m)	X				1																X		X			
E23	MICROWAVE		X		X																				X		X			STACKED
E26	REFRIGERATOR / FREEZER		X	34"x32"x66" (0.86m x0.81m x1.68m)	X			12	1	20				X													X			
E30	AUDIO/VISUAL CABINET																												X	SEE E2.6

GENERAL NOTES:

A. SEE SHEET A8.1 FOR WALL MOUNTED EQUIPMENT AND ACCESSORIES.

B. VERIFY POWER REQUIREMENTS TO ALL EQUIPMENT PRIOR TO FINAL HOOKUP.

C. SEE SPECIFICATION SECTION 12 24 00 FOR WINDOW SHADE SCHEDULE.

SHEET NOTES:

95% SUBMISSION

REVISIONS | DATE

CSHQA

C.W. MOORE PLAZA
250 S. 5TH ST. • BOISE, ID 83702
(208) 343-4635 • FAX (208) 343-1858
http://www.cshqa.com

JOHN D. MAULIN, ARCHITECT
C.W. MOORE PLAZA
250 S. 5TH ST
BOISE, IDAHO
PHONE: 208-343-4635 FAX: 208-343-1858

THESE DRAWINGS AND SPECIFICATIONS, AS INSTRUMENTS OF SERVICE, ARE AND SHALL REMAIN THE PROPERTY OF THE ARCHITECT / ENGINEER WHETHER THE PROJECT FOR WHICH THEY ARE MADE IS EXECUTED OR NOT. THESE DRAWINGS AND SPECIFICATIONS SHALL NOT BE USED BY ANY PERSON OR ENTITY ON OTHER PROJECTS, FOR ADDITIONS TO THIS PROJECT, OR COMPLETION OF THIS PROJECT WHEN PHASED WITHOUT THE WRITTEN CONSENT OF CSHQA OR ITS AFFILIATES. Copyright©2011

STAMP

PRELIMINARY
NOT FOR
CONSTRUCTION

DRAWING TITLE
FURNITURE AND EQUIPMENT SCHEDULES

APPROVED: DIVISION CHIEF

APPROVED: SERVICE DIRECTOR

PROJECT TITLE
VAMC
RENOVATE
BUILDING 33

BUILDING NUMBER 33 | CHECKED JMO | DRAWN BKS

LOCATION BOISE, IDAHO

DATE 03/04/11

PROJECT NO. 531-10-114

DRAWING NO. A10.3

DWG. 47 OF 102

DEPARTMENT OF VETERANS AFFAIRS